

SEQUENCE LISTING

<110> Cano, Carlos Antonio Durante Nieto, Enrique Gerardo Guillen Acosta, Anabel Alvarez Munoz, Luis Emilio Carpio Vazquez, Diogenes Quintana Rodriguez, Carmen Elena Gomez Rodriguez, Recardo de la Caridad Siva Galvez, Consuelo Nazabal Angulo, Maria de Jesus Leal Dunn, Alejandro Miguel Martin <120> Expression System of Heterologous Antigens as Fusion Proteins <130> LEXSA P-13DIV2 <140> 09/612,925 <141> 2000-07-10 <150> US 08/930,917 <151> 1997-09-16 <150> PCT/CU97/00001 <151> 1997-01-17 <160> 29 <170> PatentIn version 3.2 <210> <211> 1797 <212> DNA <213> Neisseria meningitidis (group B) <400> 60 atgctagata aaagaatggc tttagttgaa ttgaaagtgc ccgacattgg cggacacgaa 120 aatgtagata ttatcgcggt tgaagtaaac gtgggcgaca ctattgctgt ggacgatacc ctgattactt tggaaaccga taaagcgact atggacgtac ctgctgaagt tgcaggccta 180 gtcaaagaag ttaaagttaa agtcggcgac aaaatctctg aaggtggttt gattgtcgtc 240 300 gttgaagctg aaggcacggc agccgctcct aaagccgaag cggctgccgc cccggcgcaa 360 gaagccccta aagctgccgc tcctgctccg caagccgcgc aattcggcgg ttctgccgat 420 gccgagtacg acgtggtcgt attgggtggc ggtcccggcg gttactccgc tgcatttgcc 480 cctgccgatg aaggcttgaa agtcgccatc gtcgaacgtt acaaaacttt gggcggcgtt tgcctgaacg tcggctgtat cccttccaaa gccttgttgc acaatgccgc cgttatcgac 540

gaagtgcgcc acttggctgc caacggtatc aaataccccg agccggaact cgacatcgat

600

atgcttcgcg cctacaaaga cggcgtagtt tcccgcctca cgggcggttt ggcaggtatg 660 gcgaaaagcc gtaaagtgga cgttatccaa ggcgacgggc aattcttaga tccgcaccac 720 780 ttggaagtgt cgctgactgc cggcgacgcg tacgaacagg cagcccctac cggcgagaaa aaaatcgttg ccttcaaaaa ctgtatcatt gcagcaggca gccgcgtaac caaactgcct 840 900 ttcattcctg aagatccgca catcatcgat tccagcggcg cattggctct gaaagaagta 960 ccgggcaaac tgctgattat cggcggcggc attatcagcc tcgagatggg tacggtttac agcacgctgg gttcgcgttt ggatgtggtt gaaatgatgg acggcctgat gcaaggcgca 1020 gaccgcgatt tggtaaaagt atggcaaaaa caaaacgaat accgttttga caacattatg 1080 1140 gtcaacacca aaaccgttgc agttgagccg aaagaagacg gcgtttacgt tacctttgaa 1200 ggcgcgaacg cgcctaaaga gccgcaacgc tacgatgccg tattggttgc cgccggccgc 1260 gcgcccaacg gcaaactcat cagcgcggaa aaagcaggcg ttgccgtaac cgatcgcggc ttcatcgaag tggacaaaca aatgcgtacc aatgtgccgc acatctacgc catcggcgac 1320 1380 ategteggte ageegatgtt ggegeacaaa geegtteaeg aaggeeaegt tgeegeegaa aactgcgccg gccacaaagc ctacttcgac gcacgcgtga ttccgggcgt tgcctacact 1440 tcccccgaag tggcgtgggt gggcgaaacc gaactgtccg ccaaagcctc cggccgcaaa 1500 1560 atcaccaaag ccaacttccc gtgggcggct tccggccgtg cgattgccaa cggttgcgac 1620 aacggcttta ccaagctgat ttttgatgcc gaaaccggcc gcatcatcgg cggcggcatt 1680 gtcggtccga acggtggcga tatgatcggc gaagtctgcc ttgccatcga aatgggctgc 1740 gacgcggcag acatcggcaa aaccatccac ccgcacccga ccttgggcga atccatcggt atggcggcgg aagtggcatt gggtacttgt accgacctgc ctccgcaaaa gaaaaaa 1797

Met Val Asp Lys Arg Met Ala Leu Val Glu Leu Lys Val Pro Asp Ile 1 5 10 15

Gly Gly His Glu Asn Val Asp Ile Ile Ala Val Glu Val Asn Val Gly
20 25 30

<210> 2

<211> 47

<212> PRT

<213> Neisseria meningitidis (group B)

<400> 2

```
Asp Thr Ile Ala Val Asp Asp Thr Leu Ile Thr Leu Asp Leu Glu
        35
<210> 3
<211> 146
<212> DNA
<213> Neisseria meningitidis (group B)
<400> 3
ttccatggta gataaaagaa tggctttagt tgaattgaaa gtgcccgaca ttggcggaca
                                                                      60
cgaaaatgta gatattatcg cggttgaagt aaacgtgggc gacactattg ctgtggacga
                                                                     120
taccctgatt actttggatc tagaaa
                                                                     146
<210> 4
<211>
      18
<212>
      PRT
<213> Neisseria meningitidis (group B)
<400> 4
Val Asn Val Gly Asp Thr Ile Ala Val Asp Asp Thr Leu Ile Thr Leu
                5
Asp Leu
<210> 5
<211>
      18
<212> PRT
<213> Neisseria meningitidis (group B)
<400> 5
Val Glu Val Gly Ser Lys Ile Tyr Val Asp Asp Gly Leu Ile Ser Leu
Gln Val
<210> 6
<211>
      32
<212> PRT
<213> Neisseria meningitidis (group B)
<400> 6
```

Leu Val Glu Leu Lys Val Pro Asp Ile Gly Gly His Glu Asn Val Asp 1 5 10 15

Ile Ile Ala Val Glu Val Asn Val Gly Asp Thr Ile Ala Val Asp Asp 20 25 30

<210> 7

<211> 32

<212> PRT

<213> Neisseria meningitidis (group B)

<400> 7

Leu Arg Glu Val Gln Val Pro Asp Arg Lys Leu His Lys Gly Val Gln
1 5 10 15

Leu Leu Ala Gly Glu Leu Gly Ile Gly Glu Ala Leu Gln Val Asp Asp 20 25 30

<210> 8

<211> 162

<212> PRT

<213> Neisseria meningitidis (group B)

<400> 8

Met Val Asp Lys Arg Met Ala Leu Val Glu Leu Lys Val Pro Asp Ile 1 5 10 15

Gly Gly His Glu Asn Val Asp Ile Ile Ala Val Glu Val Asn Val Gly 20 25 30

Asp Thr Ile Ala Val Asp Asp Thr Leu Ile Thr Leu Asp Leu Asp Ser 35 40 45

Arg Gly Ile Arg Ile Gly Pro Gly Arg Ala Ile Leu Ala Thr Ala Gly 50 60

Gly Gly Ala Arg Gln Ser Thr Pro Ile Gly Leu Gly Gly Ala Leu Tyr 65 70 75 80

Thr Thr Ala Gly Gly Ala Arg Lys Ser Ile Thr Lys Gly Pro Gly 85 90 95

Arg Val Ile Tyr Ala Thr Ala Gly Gly Gly Ala Arg Lys Arg Ile His 100 105 Ile Gly Pro Gly Arg Ala Phe Tyr Thr Thr Ala Gly Gly Ala Arg Lys Arg Ile Thr Met Gly Pro Gly Arg Val Tyr Tyr Thr Thr Ala Gly 135 Gly Gly Ala Ser Ile Arg Ile Gln Arg Gly Pro Gly Arg Ala Phe Val 145 150 Thr Ile <210> 9 <211> 489 <212> DNA <213> Neisseria meningitidis (group B) <400> 9 atggtagata aaagaatggc tttagttgaa ttgaaagtgc ccgacattgg cggacacgaa 60 aatgtagata ttatcgcggt tgaagtaaac gtgggcgaca ctattgctgt ggacgatacc 120 ctgattactt tggatctaga ctcgagaggc attcgtatcg gcccaggtcg cgcaatttta 180 240 gcaacagctg gcggtggcgc acgtcaatct acccctattg gtttaggtca ggctctgtat 300 acgactgccg gcggtggtgc gcgcaaaagt atcaccaagg gtccaggccg cgtcatttac gccaccgcgg gcggcggtgc ccgtaagcgt atccacattg gcccaggccg tgcattctat 360 420 actacagcag gtggtggcgc acgtaaacgc atcactatgg gtcctggtcg cgtctattac 480 acgaccgctg gcggcggtgc tagcattcgc atccaacgcg gccctggtcg tgcatttgtg 489 accatatga <210> 10 <211> 47 <212> PRT Neisseria meningitidis (group B) <213> <400>

Met Leu Asp Lys Arg Met Ala Leu Val Glu Leu Lys Val Pro Asp Ile

15

5

```
20
Asp Thr Ile Ala Val Asp Asp Thr Leu Ile Thr Leu Glu Thr Asp
                           40
<210> 11
<211>
      29
<212> DNA
<213> Artificial
<220>
<223> Primer 5' No. 1573
<400> 11
                                                                     29
ttccatggta gataaaagaa tggctttag
<210> 12
<211> 29
<212> DNA
<213> Artificial
<220>
<223> Primer 3' No. 1575
<400> 12
tttctagatc caaagtaatc agggtatcg
                                                                     29
<210> 13
<211> 26
<212> DNA
<213> Artificial
<220>
<223> Primer 3' No. 2192
<400> 13
                                                                     26
ggcggttctg ccgattaagg atccga
<210> 14
<211>
      16
<212> DNA
<213> Artificial
<220>
<223> Oligonucleotide used to introduce restriction sites XbaI, EcoV,
       and BamHI in the 3' end of the stabilizer fragment of SEQ. ID.
      NO. 13
```

Gly Gly His Glu Asn Val Asp Ile Ile Ala Val Glu Val Asn Val Gly

```
<400> 14
                                                                      16
ctagatttga tatcag
<210> 15
<211>
      16
<212> DNA
<213> Artificial
<220>
<223>
      Oligonucleotide used to introduce restriction sites XbaI, EcoV,
       and BamHI in the 3' end of the stabilizer fragment of SEQ. ID.
       NO. 13
<400> 15
                                                                      16
gatcctgata tcaaat
<210>
      16
<211>
      15
<212> PRT
<213> Human immunodeficiency virus type 1
<400> 16
Ser Arg Gly Ile Arg Ile Gly Pro Gly Arg Ala Ile Leu Ala Thr
<210> 17
<211>
      15
<212> PRT
<213> Human immunodeficiency virus type 1
<400> 17
Arg Gln Ser Thr Pro Ile Gly Leu Gly Gln Ala Leu Tyr Thr Thr
                                    10
                                                        15
<210>
      18
      15
<211>
<212>
      PRT
<213>
      Human immunodeficiency virus type 1
<400> 18
Arg Lys Ser Ile Thr Lys Gly Pro Gly Arg Val Ile Tyr Ala Thr
                                    10
                                                        15
<210> 19
<211> 15
<212> PRT
<213> Human immunodeficiency virus type 1
```

```
Arg Lys Arg Ile His Ile Gly Pro Gly Arg Ala Phe Tyr Thr Thr
                                    10
<210> 20
<211>
      15
<212> PRT
<213> Human immunodeficiency virus type 1
<400> 20
Arg Lys Arg Ile Thr Met Gly Pro Gly Arg Val Tyr Tyr Thr Thr
                                    10
<210> 21
<211>
      15
<212> PRT
<213> Neisseria meningitidis (group B)
<400> 21
Ser Ile Arg Ile Gln Arg Gly Pro Gly Arg Ala Phe Val Thr Ile
<210>
      22
<211>
      15
<212> PRT
<213> Human immunodeficiency virus type 1
<400> 22
Thr Ser Ile Thr Ile Gly Pro Gly Gln Val Phe Tyr Arg Thr Gly
<210> 23
<211>
      15
<212>
      PRT
<213> Human immunodeficiency virus type 1
<400> 23
Arg Gln Arg Thr Ser Ile Gly Gln Gly Gln Ala Leu Tyr Thr Thr
                                    10
                                                        15
<210> 24
<211> 5
<212> PRT
<213> Artificial
```

<400> 19

<220>

<223> Spacer peptide that divides the various V3 epitopes in the MEPs TAB3, TAB4, TAB9, and TAB13

<400> 24

Ala Gly Gly Gly Ala 1 5

<210> 25

<211> 141

<212> PRT

<213> Artificial

<220>

<223> Multiepitopic polypeptides that includes several copies of the central part of the variable region 3 of the gp120 protein of the HIV-1

<400> 25

Met Ala Pro Thr Ser Ser Ser Thr Ala Gln Thr Gln Leu Gln Leu Glu $1 \hspace{1cm} 5 \hspace{1cm} 10 \hspace{1cm} 15$

His Leu Leu Leu Asp Leu Gln Ile Phe Leu Ser Arg Gly Ile Arg Ile
20 25 30

Gly Pro Gly Arg Ala Ile Leu Ala Thr Ala Gly Gly Gly Ala Arg Gln 35 40 45

Ser Thr Pro Ile Gly Leu Gly Gly Ala Leu Tyr Thr Thr Ala Gly Gly 50 55 60

Gly Ala Arg Lys Ser Ile Thr Lys Gly Pro Gly Arg Val Ile Tyr Ala 65 70 75 80

Thr Ala Gly Gly Ala Arg Lys Arg Ile His Ile Gly Pro Gly Arg
85 90 95

Ala Phe Tyr Thr Thr Ala Gly Gly Gly Ala Arg Lys Arg Ile Thr Met 100 105 110

Gly Pro Gly Arg Val Tyr Tyr Thr Thr Ala Gly Gly Gly Ala Ser Ile 115 120 125

Arg Ile Gln Arg Gly Pro Gly Arg Ala Phe Val Thr Ile 130 135 140 <210> 26 <211> 162

<212> PRT <213> Artificial

<220>

<223> Multiepitopic polypeptides that includes several copies of the central part of the variable region 3 of the gp120 protein of the HIV-1

<400> 26

Met Val Asp Lys Arg Met Ala Leu Val Glu Leu Lys Val Pro Asp Ile
1 5 10 15

Gly Gly His Glu Asn Val Asp Ile Ile Ala Val Glu Val Asn Val Gly 20 25 30

Asp Thr Ile Ala Val Asp Asp Thr Leu Ile Thr Leu Asp Leu Asp Ser 35 40 45

Arg Gly Ile Arg Ile Gly Pro Gly Arg Ala Ile Leu Ala Thr Ala Gly 50 60

Gly Gly Ala Arg Gln Ser Thr Pro Ile Gly Leu Gly Gly Ala Leu Tyr 65 70 75 80

Thr Thr Ala Gly Gly Gly Ala Arg Lys Ser Ile Thr Lys Gly Pro Gly 85 90 95

Arg Val Ile Tyr Ala Thr Ala Gly Gly Gly Ala Arg Lys Arg Ile His 100 105 110

Ile Gly Pro Gly Arg Ala Phe Tyr Thr Thr Ala Gly Gly Gly Ala Arg 115 120 125

Lys Arg Ile Thr Met Gly Pro Gly Arg Val Tyr Tyr Thr Thr Ala Gly 130 135 140

Gly Gly Ala Ser Ile Arg Ile Gln Arg Gly Pro Gly Arg Ala Phe Val 145 150 155 160 <210> 27

<211> 202

<212> PRT

<213> Artificial

<220>

<223> Multiepitopic polypeptides that include several copies of the central part of the variable region 3 of the gp120 protein of the HIV-1

<400> 27

Met Val Asp Lys Arg Met Ala Leu Val Glu Leu Lys Val Pro Asp Ile 1 5 10 15

Gly Gly His Glu Asn Val Asp Ile Ile Ala Val Glu Val Asn Val Gly 20 25 30

Asp Thr Ile Ala Val Asp Asp Thr Leu Ile Thr Leu Asp Leu Asp Ser 35 40 45

Arg Gly Ile Arg Ile Gly Pro Gly Arg Ala Ile Leu Ala Thr Ala Gly 50 55 60

Gly Gly Ala Arg Gln Ser Thr Pro Ile Gly Leu Gly Gln Ala Leu Tyr 65 70 75 80

Thr Thr Ala Gly Gly Gly Ala Arg Lys Ser Ile Thr Lys Gly Pro Gly 85 90 95

Arg Val Ile Tyr Ala Thr Ala Gly Gly Gly Ala Arg Lys Arg Ile His
100 105 110

Ile Gly Pro Gly Arg Ala Phe Tyr Thr Thr Ala Gly Gly Gly Ala Arg 115 120 125

Lys Arg Ile Thr Met Gly Pro Gly Arg Val Tyr Tyr Thr Thr Ala Gly 130 135 140

Gly Gly Ala Arg Gln Arg Thr Ser Ile Gly Gln Gly Gln Ala Leu Tyr 145 150 155 160

Thr Thr Ala Gly Gly Gly Ala Thr Ser Ile Thr Ile Gly Pro Gly Gln 175 165 170 Val Phe Tyr Arg Thr Gly Ala Gly Gly Ala Ser Ile Arg Ile Gln 180 Arg Gly Pro Gly Arg Ala Phe Val Thr Ile 200 <210> 28 <211> 368 <212> DNA <213> Artificial <220> Synthetic fragment that codifies for MEP TAB9. Restriction sites <223> XbaI and BamHI are introduced. <400> tctagactcg agaggcattc gtatcggccc aggtcgcgca attttagcaa cagctggcgg 60 tggcgcacgt caatctaccc ctattggttt aggtcaggct ctgtatacga ctgccggcgg 120 tggtgcgcgc aaaagtatca ccaagggtcc aggccgcgtc atttacgcca ccgcgggcgg 180 cggtgcccgt aagcgtatcc acattggccc aggccgtgca ttctatacta cagcaggtgg 240 tggcgcacgt aaacgcatca ctatgggtcc tggtcgcgtc tattacacga ccgctggcgg 300 cggtgctagc attcgcatcc aacgcggccc tggtcgtgca tttgtgacca tatgataacg 360 cgggatcc 368 <210> 29 <211> 5 <212> PRT

Neisseria meningitidis (group B)

<400> 29

Met Leu Asp Lys Arg